

# Dr. Maisch

Any Column, Any Size, Any Media



## MyMap

Pre-Packed Fritted Capillary, Male Inlet and Outlet  
for Easy Connection

MADE BY DR. MAISCH

# CONTENT

- P 4 INTRODUCTION
  - MYMAP
  - WHY MYMAP?
  - KEY ADVANTAGES
- P 5 WHY MYMAP FROM DR. MAISCH?
- P 6 WHY MYMAP IN A THERMO SCIENTIFIC® MS SYSTEM?
- P 7 ALTERNATIVE TO ACCLAIM™ PEPMAP™ CAPILLARY COLUMNS FROM THERMO FISHER SCIENTIFIC®
- P 8 - 9 ORDERING INFORMATION



**MYMAP  
MADE BY DR. MAISCH**

From one of the biggest  
**High-Performance Liquid Chromatography (HPLC) and  
Ultra High-Performance Liquid Chromatography (UHPLC)**  
Column Manufacturers in Europe.

# INTRODUCTION

## MYMAP, WHY MYMAP?, KEY ADVANTAGES

### MyMap - Why Fritted Capillaries?

MyMap columns are pre-packed fritted capillary columns without integrated emitters. This design provides maximum flexibility and long-term robustness in nano-LC-MS workflows.

### Why MyMap? - Built for High-Resolution Proteomics

MyMap nano-LC columns are designed for advanced proteomics workflows requiring high sensitivity and reproducibility.

- Available Inner Diameters (ID):
  - 50  $\mu\text{m}$
  - 70  $\mu\text{m}$
  - 100  $\mu\text{m}$
  - 150  $\mu\text{m}$
- Available Column Lengths:
  - 50 mm to 500 mm

### Key Advantages

- Flexible Emitter Selection.
- Stable High-Pressure Performance.
- Optimized for Demanding Proteomics Applications.

Each column features integrated 1/16" male PEEK Fingertight Fittings on both inlet and outlet, providing secure, leak-free, zero-dead-volume connections. This robust design prevents capillary slippage and ensures stable operation under high pressure – up to 1000 bar.

# WHY MYMAP FROM DR. MAISCH?

## Why MyMap from Dr. Maisch? - Premium Sub-2 µm C18 Materials

MyMap columns are packed with high-performance, sub-2 µm C18 materials to ensure ultrahigh efficiency and stable MS performance.

### Available Media:

- ReproSil-Pur 120 C18-AQ, 1.9 µm
  - Strong Retention of Hydrophilic Peptides and Excellent Aqueous Stability.
- ReproSil Saphir 100 C18, 1.5 µm
  - Maximum Efficiency with Low MS Bleed for Highly Sensitive Analyses.
- Exsil Mono 100 C18, 1.35 – 1.7 µm
  - Monodisperse Silica Technology for Exceptional Batch-to-Batch Consistency.

These materials provide:

- High Plate Counts.
- Excellent Peak Capacity.

Reliable performance across complex peptide mixtures.

Table 1: Available Media.

| Media Code | Description                     |
|------------|---------------------------------|
| 6136973    | Exsil Mono 100 C18, 1.35 µm     |
| 5136782    | Exsil Mono 100 C18, 1.5 µm      |
| 6136847    | Exsil Mono 100 C18, 1.7 µm      |
| ra115.9e   | ReproSil Saphir 100 C18, 1.5 µm |
| r119.aq    | ReproSil-Pur 120 C18-AQ, 1.9 µm |

# WHY MYMAP IN A THERMO SCIENTIFIC® MS SYSTEM?

## Seamless Integration into Thermo Workflows

MyMap columns are fully compatible with:

- Nanospray Flex™ Ion Source
- Easy-Spray™ Ion Source

As fritted capillary columns without integrated emitters, they require a separate emitter while maintaining straightforward integration into established nano-LC-MS systems.



Figure 1: Connection of the MyMap to a Nanospray Flex™ Ion Source.




Figure 2: Connection of the MyMap to an Easy-Spray™ Ion Source.

# ALTERNATIVE TO ACCLAIM™ PEPMAP™ CAPILLARY COLUMNS FROM THERMO FISHER SCIENTIFIC®

Table 2: Capillary Columns from Thermo Fisher Scientific and Dr. Maisch.

| Thermo Fisher Scientific |   | Dr. Maisch           |  | Length [mm] | ID [µm] |
|--------------------------|---|----------------------|--|-------------|---------|
| Part Number (PN)         | Description   | Part Number (PN)     | Description  |             |         |
| 164534                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 150 mm × 75 µm, 2 µm, Analytical | r119.aq.mm150.075.01 | MyMap, ReproSil-Pur 120 C18-AQ, 1.9 µm, 150 mm x 75 µm | 150         | 75      |
| 164568                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 150 mm × 75 µm, 3 µm, Analytical | r13.aq.mm150.075.01  | MyMap, ReproSil-Pur 120 C18-AQ, 3 µm, 150 mm x 75 µm   | 150         | 75      |
| 164569                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 250 mm × 75 µm, 3 µm, Analytical | r13.aq.mm250.075.01  | MyMap, ReproSil-Pur 120 C18-AQ, 3 µm, 250 mm x 75 µm   | 250         | 75      |
| 164570                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 500 mm × 75 µm, 3 µm, Analytical | r13.aq.mm500.075.01  | MyMap, ReproSil-Pur 120 C18-AQ, 3 µm, 500 mm x 75 µm   | 500         | 75      |
| 164940                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 150 mm × 75 µm, 2 µm, Analytical | r119.aq.mm150.075.01 | MyMap, ReproSil-Pur 120 C18-AQ, 1.9 µm, 150 mm x 75 µm | 150         | 75      |
| 164941                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 250 mm × 75 µm, 2 µm, Analytical | r119.aq.mm250.075.01 | MyMap, ReproSil-Pur 120 C18-AQ, 1.9 µm, 250 mm x 75 µm | 250         | 75      |
| 164942                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 500 mm × 75 µm, 2 µm, Analytical | r119.aq.mm500.075.01 | MyMap, ReproSil-Pur 120 C18-AQ, 1.9 µm, 500 mm x 75 µm | 500         | 75      |
| 164943                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 150 mm × 50 µm, 2 µm, Analytical | r119.aq.mm150.050.01 | MyMap, ReproSil-Pur 120 C18-AQ, 1.9 µm, 150 mm x 50 µm | 150         | 50      |
| 164944                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 250 mm × 50 µm, 2 µm, Analytical | r119.aq.mm250.050.01 | MyMap, ReproSil-Pur 120 C18-AQ, 1.9 µm, 250 mm x 50 µm | 250         | 50      |
| 164945                   | Thermo Scientific™ Acclaim™ PepMap™ 100 C18 LC Column, 500 mm × 50 µm, 2 µm, Analytical | r119.aq.mm500.050.01 | MyMap, ReproSil-Pur 120 C18-AQ, 1.9 µm, 500 mm x 50 µm | 500         | 50      |

# ORDERING INFORMATION

Table 3: Ordering Information for MyMap, 75 µm ID packed with ReproSil Saphir 100 C18, 1.5 µm.

| Part Number (PN)      | Description  | Length [mm] | ID [µm] | Quantity |
|-----------------------|--|-------------|---------|----------|
| ra115.9e.mm050.075.01 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 50 mm x 75 µm  | 50          | 75      | 1        |
| ra115.9e.mm050.075.04 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 50 mm x 75 µm  | 50          | 75      | 4        |
| ra115.9e.mm050.075.10 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 50 mm x 75 µm  | 50          | 75      | 10       |
| ra115.9e.mm150.075.01 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 150 mm x 75 µm | 150         | 75      | 1        |
| ra115.9e.mm150.075.04 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 150 mm x 75 µm | 150         | 75      | 4        |
| ra115.9e.mm150.075.10 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 150 mm x 75 µm | 150         | 75      | 10       |
| ra115.9e.mm250.075.01 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 250 mm x 75 µm | 250         | 75      | 1        |
| ra115.9e.mm250.075.04 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 250 mm x 75 µm | 250         | 75      | 4        |
| ra115.9e.mm250.075.10 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 250 mm x 75 µm | 250         | 75      | 10       |

# ORDERING INFORMATION

Table 4: Ordering Information for MyMap, 150 µm ID packed with ReproSil Saphir 100 C18, 1.5 µm.

| Part Number (PN)      | Description   | Length [mm] | ID [µm] | Quantity |
|-----------------------|---|-------------|---------|----------|
| ra115.9e.mm050.150.01 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 50 mm x 150 µm  | 50          | 150     | 1        |
| ra115.9e.mm050.150.04 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 50 mm x 150 µm  | 50          | 150     | 4        |
| ra115.9e.mm050.150.10 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 50 mm x 150 µm  | 50          | 150     | 10       |
| ra115.9e.mm150.150.01 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 150 mm x 150 µm | 150         | 150     | 1        |
| ra115.9e.mm150.150.04 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 150 mm x 150 µm | 150         | 150     | 4        |
| ra115.9e.mm150.150.10 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 150 mm x 150 µm | 150         | 150     | 10       |
| ra115.9e.mm250.150.01 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 250 mm x 150 µm | 250         | 150     | 1        |
| ra115.9e.mm250.150.04 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 250 mm x 150 µm | 250         | 150     | 4        |
| ra115.9e.mm250.150.10 | MyMap, ReproSil Saphir 100 C18, 1.5 µm, 250 mm x 150 µm | 250         | 150     | 10       |

Other dimensions available on request.

Table 5: Alternative Media.

| Media Code | Description                     |
|------------|---------------------------------|
| 6136973    | Exsil Mono 100 C18, 1.35 µm     |
| 5136782    | Exsil Mono 100 C18, 1.5 µm      |
| 6136847    | Exsil Mono 100 C18, 1.7 µm      |
| ra115.9e   | ReproSil Saphir 100 C18, 1.5 µm |
| r119.aq    | ReproSil-Pur 120 C18-AQ, 1.9 µm |

# Dr. Maisch

Any Column, Any Size, Any Media

Distributor:



Dr. Maisch HPLC GmbH  
Beim Brückle 14  
D-72119 Ammerbuch  
T: +49 (0) 7073 50357  
F: +49 (0) 7073 4216  
[www.dr-maisch.com](http://www.dr-maisch.com)  
[www.modcol.com](http://www.modcol.com)  
[info@dr-maisch.com](mailto:info@dr-maisch.com)



PDF brochure  
for download